SUPPLEMENT TO

The Eazette



of **Xndia**

No. 24]

NEW DELHI, SATURDAY, JUNE 11, 1955

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 14th May, 1955.

				C	HOLERA	s S	MALLPO	x I	PLAGUE			C	HOLE	RA S	MALLP	ox F	LAGUE
	-			C	. D). C	C. D	. (D. D			C	<u>.</u>	D. (a 1	o. c	C. D,
	5 T.	ATE	S F	ART	(A) &	k PAF	RT (C)					Assem		otd.			
					Ajmei	_				(Estd mid-year pop.							
		То	TAL .			7	7 3			9,072 thousands.)	•						
«Estd. Mid-	BAGT					,	2		•	Total for w/e 7-5-55		• 21	τ	14 .	• •,	,	
741 thousan	nds).	pop.								Total for w/e 30-4-55		• 70)	50 -			r .,
Total for w/c	7-5-5	5		6-0	•	.		_		7-yearly mean for the week .		39) :	25 4	; 2		
Total for w/e	30-4	-55			•	. 2	ı		•••						, –		
7-yearly mean	for	the										В	ьоря	l			
week .	•	•	•	• •	-	. 8	6		_			Ŋ	1. R.				
				A	lodbr	•											
Srikakulam	•	•	•	7	' A	4	••	-	-	_		J	81hai				
'Visekhapatnem		•	•	8	2	2 7	1		_	Patna	•	••	••	. 1	-	-	•
Godavari East		•		••	-	30		-	-	Gaya	•	3	I	I	I	_	**
Godavari West	•	•	•	••	• •	_	I	••	-	Shahabad	٠	5	2	4	•		-
Krishna .	•	•	•	••	••	_	3	-	-	Saran	•	1	1	_	-	-	••
Guntur .	•	•	•	••	••	•	2	-	-	Monghyr	•	1	ĻI		••	-	•
Chittoor .	•	•	•	••	••	36	6	••	••	Bhagalpur		-	_	3	-	-	••
	Тота	NL.	•	15	6	102	I 15	••	••	Santal Parganas			••	5	••	-	-
(Bstd. mid-yea 21,013 thous	r poj inds.)	p .								Hazaribagh			 4	3	I	• •	••
Total for w/e 7-	-5-55			5	4	7 6	27	4	2	Manbhu		••		23			-
Total for w/e 30				26	10	89		*	3	Total			_	_	J	••	** 、
7-yearly mean f			•		-0	9	29	••	••	TOTAL	•	15	9	46	7	••	-
wook	or un	•	•	47	26	222	45	••	-	(Estd. mid-year pop. 41,828 thousands.)							
				Assa	CD:					Total for w/e 7-5-55		16	8	42	10		
Kamrup .	. ,	•	•	••	••	I	••		••	Total for w/e 30-4-55						••	••
Darreng 4.		•	•	10	4	••		••	8-9		•	38	14	110	14	••	••
T	OTAL			10	4	I	••	-		7-yearly mean for the week	•	164	74	346	66		`
	Expl	lanati	o no	f Syml	ools us	ed (G. ⊸ Cas	es ; D		as ; = Nil. N. R. = Info			recei	ved.		••	**

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 14th May, 1955—contd.

	Сн	OLERA	SMALI	LIPOX	Plag	UE		Сн	IOLERA	Smali	LPO3	PL	IG UE
-	С	. D.	C,	D,	C.	D.		C,	D.	C.	D.	c	D_
	E	lombay						Delhi-	-conid.				
Greater Bombay .			4	1		-	Estd. mid year pop.						
Kaira	•	9 2	14	1	••	••	1,744 thousands.)						
Thena			1	••			Total for w/e 7-5-45	• ••	**	4	2		**
Satara South			12	3		••	Total for whe 30-4-55			4	4	••	
Ahmednagar		•	20	4	••		week			6	2		
East Khandesh			65	12	••	-•							
West Khandesh .	٠.		11		••			Hlmad	chal Pr	desh			
Amreli			11	1			l'otal	٠		4 6		••	• •
Nasik			33	2		••	(Estd mid-year pop. 999 thousands).						
Satara North	,		20	3		••	Total for w/e 7-5-45						
Sholapur			3			••	Total for w/e 30-4-55	• ••	••	-•	**	• •	
Bijapur		4 I					7. J. 4. J.	• ••	• •	• •		••	• 64
Dharwar		4 1	•-	••	••	••		Madh	ys Prad	iesh			
Kolsba			5			••	Nagpur	• ••	••	I	••		
Mchsana				2	••	••	Chanda	••	• •	2		••	••
Banaskantha			2			••	Betul	٠ ٠.	• •	43	2	٠.	
TOTAL	• 1	17 [4	201	29			Bhandara	• ••	••	8	1	••	••
(Estd. mid-year pop.							Jabalpur		••	5 1	13	• •	••
38,892 thousands.)							Sagar .		• •	4 9	14		- 4
Total for w/c 7-5-55	•	8 3	215	23		••	Hoshangabad	•		129	Ib		
Total for w/e 30-4-55	•	4 1	291	25	••	••	Nimar	• • •	u	15	I	• -	* * *
7-yearly mean for the	. 4:	5 19	26 7	48	••		Balaghat	٠		18	2	••	
							Raipur	. 2	2	5	2	• •	••
Тоти		Coorg	_	_			Durg			15	• •	••	• •
TOTAL	•	•	• 3	I	••	••	Bestar			2	••	**	••
(Estd. mid-year pop. 256 thousands.)							Annavati			32	3	••	• •
Total for w/c 7-5-55	•	- -	2	***	••		Ycotmal			22	2	••	
Total for w/e 30-4-55	•	•• ••	3	_	••	••	Akola		••	19	I	••	
7-yearly mean for the			_				Buldana	• • •	••	9	I		
	•				•		POTAL	2	. 2	424	63		"
		Delbi								, ,	v 3	4.	* **
Dellų City	•		3		••	. •	(Estd. mid-year pop. 21-948 thousands.)						
Delhi-Shahdara	٠	••	_	••	••	••	Total for w/e 7-5-55	. 1	ı	515	96		
Delhi Rotined Area Rural Circles		· · · ·	1	1	••	••	Total forw/e 30-4-55			5 4 9	48	••	••
	•			-	••	**	7-yearly mean for the			⊿ ₹¥	40	••	**
Total		i (1 Svært	3 ools used	1 d : C. =	. Carek	D.	week Deaths;Nil; N. RIi	. 92		182	28	••	_
	-	•			_ 3-3	,, _	= = = = + = = = = = = + + + + + + + + +	-10111H([](on not re	ceived.			

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 14th May, 1955—contd.

	Cholera	SMALLPOX	PLAGUE		CHOLERA	SMALLPOX	PLAGUE
		Divinial 02				UMALIAUA	LLAGUE
	C, D.	C. D.	C. D.		C. D	C., D.	C. D.
	Madres				Punjab ,	1)	
Madras		2	p.b	Hissar	••	2 5	** **
Nort Aroot	12 8			Ambala		18	- 4
Colmbatore	. 1 1	••	• •	Ferozepur	•• ••	2	
South Arcot		3		TOTAL .			
Tiruchirappelli					••	22 5	• ••
Mathurai		4	#4	(Estd. miv-year pop 12,641 thousands.)			
Ramnathapuram .	••	7 .	* "	Total for w/c 7-5-55		17 7	••
Malahar		23 9		Total for w/e 30-4-55		25 2	
South Kanara		J .	W ~	7-vearly mean for the	_	_	
Total .	13 9	40 9	-	,	ı	26 7	•• =
(Hatd. mid-year pop.					Tripura		
37,797 thousands.)				TOTAL	30 12	**	**
Total for w/e 7-5-55 .	1 1	25 13		(Estd. mid-year pop 6y4 thousands.)			
Total for w/e 30-4-55 .	10 6	31 14		Total for w/e 7-5-55 .	9 3	···	
7-yearly mean for the week	198 108	t6 1 4		Eotal for w/e 30-4-55 .	15 13	••	
	Мавгри	_					
TOTAL					Uttar Prades	h	
(Estd. mid-year pop.				Dehra Dun	••	10 I	•• -
(Estd. mid-year pop. 606 thousands.)				Saharanpur ,		б 1	•• ••
Total for w/e 7-5-55	••	**	••	Muzaffarnagar	••	3 2	••
Total for w/e 30-4-55	** **	**	-+ +-	Mathura	•• ••	I 2	•• ••
	Orissa			Agra	** **	21 9	••
Balasore	. 2 1	Υ		harcolly	••	6 4	••
Puri	. 2 2		** **	Budaun Shahjahanpur	••	•• 3	••
Sambalpur		11	** **	-	••	5 I	••
Koraput		8 1	•• ••	Kanpur	••	10 4	•• ••
Bolangir Patna		٠ • • •		Allahabad	••	6	••
Kalahandi	3 3	55 19			•• ••	3 1	••
Mayurbhanj	8 2	** **		Jalaun	••	48 4	••
Total .	15 %	81 20	•• ••	Banda	**	6 r	••
				Вепигае	••	1	** **
(Estd. mid-year pop 15,026 thousands.)				Mirzapur	•	1 1	
Total for w/e 7-5-55	ı) 5	106 11		Jampu	••	3 3	••
Total for w/e 36-4-55	••	4 I 3	•• ••	Ghazipur	••	3 1	••
7-yearly mean for the week	. 2 0 y	132 45		Gorat hpun	••	1 -	*** * *
# C 4 /	_		sed · C.—Case	Nainttal	••	9 1	••

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 14th May, 1955—contd.

	Cholera	SMALLPG	PLAG	UE	CHOLERA SMALLPOX PLAGUE
	C. D.	C. D	. C.	D.	C. D. C. D. C. D.
Uttar I	Pradesh—co	n(d.			STATES PART (B)
Almora	** **	3 2	•-	••	Hyderabad
Garhwal		5	**	••	Medal:
Lucknow	••	35 r6	••		Hyderahad
Unao		8	••	••	
Rae Barelli	••	٠. د	••	••	Total 3
Sitapur		3 1	••	••	Jemmu and Kashmir
Hardoi · · ·		12 3	• •	••	N. R.
Kheri		2 2	••	-	
Bahraisch		ı	. ,		Madhya Bharat
Rampur		6 6		••	N. R.
Total .	•• ••	221 69)	**	
Wash with many many					Mysore Chitaldrug
(Estd. mid-year pop. 66,112 thousands.)					
Total for w/c 7-5-55 .	I	208 84		••	Shimoga
Total for w/e 30-4-55 .	2	189 82	••	••	Kolar 7 2 2 - 3 1
7-yearly mean for the week	209 94	214 80	30	12	Tumeur 2 2
	, ,,		, 50		TOTAL . 36 17 2 - 3 1
v	Indhya Pre	desh			
Total	** **	19 1		**	Patisia and East Punjab States Union
(Estd. mid-year pop.					Total 36 2
3,665 thousands).					Rajasthan
Total for w/e 7-5-55	4 2	3 2	••	••	N. R.
Total for w/e 30-4-55 .	11 9	13 4	••	••	
					Saurashtra
	West Benge	a)			Gohliwad 4
	N. R.				Zalawad
					Sorath
Grand Total for States Parts (A) & (C)			-		Madhya Saurashtra · · · · · I I · · · -
(excluding Bhopal and West Bengal)	117 54	1175 22	3		m
-		/5	,	**	TOTAL 6 4
Corresponding (Hatd. mid-yes pop. 273,934 thousands.)	ar				Travancore-Cochin
Corresponding Total for	62 36	I,214 271	_		Total 5
w/c 7-5-55 Corresponding Total for	U4 30	1,214 271	4	3	
W/e 3-4-55	150 81	1,325 217	•••	••	Grand Total for Scates Part (B) 36 17 52 6 3 1
Corresponding 7-yearly mean for the week	815 403	1,474 343	30	12	Grand Total for States Parts (A), (B) and (C). 153 71 1,227 229 3 2
Explanat					Deaths; -Nil; N. R Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India Juring the week ending the 14th May, 1955—concld.

					Сног	LERA	Smal	LPOX	PLA	GUB					•	Сн	DLERA	Sm	ALLPOX	Pl.	AGUE
					С	D.	C.	D,	C.	D						C	D.	c	Ů.	Jų	J
			s h	cRL.	AR IN	FORM	AT IC	N						Madl	hya F	rad es	h <i>—cor</i>	ıtd.			
					•						Amravati		•	•	•	• •		62	3	••	••
		M	edh ₃	ya P	radosh	w/	e 7-5 5	5			Yeotmal	•	•	•		••		16	3	••	••
Nagpur .	•	•	•	•	••	•	16	4	••	••	Akola	•	•		•	_	••	15	•		
Chhindwara	•		•	•	••	••	63	19	••	••	Buldana							15	2	••	••
Bilaspur			•	•	•••	••	B I	I	••	••	Wardha					••	••	I	••	••	••
Bhandara	•		•	•	• •	••	56	18	••	••			Total		•	I	1	515	96	••	
Jabalpur .			•	•	••	••	24	••	••	••											
Sagar .		1		•	••	••	32	7	••	••				Sa	urasi	htra	w/s	7 -5 -55			
Hoshangabad	ſ			_			1 6 6	30			Gohilwad	•	•	•	•	••	••	3	2	••	••
	•		•	•	_	4.0	100	30	-	-	Sorath	•	•	•	•	••	••	I	I		-
Nimer .	•	•	•	•	410	••	2 3	7	••	••			Tot	tal				4	3	_	_
Raipur .	•		•	•	1	1	21	••	••	••					_						
Durg .	•		•	•	••	••	4	••	••	••			Hi	пась Тот		radesh	1 W	/ c 30-4	-55 AI	od 7-5	-55

Explanation of Symbols used : C.-Cases; D.-Deaths; ..-Nil; N. R.-Information not received.

New Delhi-2 (india);

K. MITRA,

The 6th June, 1955.

for Registrar General. India.

								-7		,	1933	De	athe fro	m :				
τ	'owi	1			Midyear Popn, Est. (000)	В.	B.R.•	c.		3.	P.	F	D.D.	R.D,	M.D.	Total	D.R.*	I.D.
							SI	r r A''	B S —(Part	A and	IC)						
Ajn	1 6 F								**	N. R	."							
And	lhr	•																
Adoni Anantpur Anakapalli	:	:	:		. 61 36 45	36 13 15	30·7 18·8 17·3	••	•		••	r		2 2 I		10 6 10	8.2 8.2 11.6	3 1 1
Bhimavaram Chirala Chittoor†	•	•	:	:	35 42	15 13	16'I 22'3	•••	•	•	::	··. 2		2	•••	9 5	13 4 6·2	
Cuddapah Eluru Gudivada	:	:	:	:	35 97 35	7 29 21	10 4 14·5 31·2	•	•	••	••	 5 4	 	I I	 I	6 21 15	8·9 11·3 22·3	 6 4
Guntur† Guntakal Kakinada	:	:	:	:	36 111	18 54	26°0 25°3	••		•	••	2 5	.;	I 2	••	7 29	13 6 10.1	 9
Kurnool† Masulipatnam Nandyal)			•	86 37	75 13	45°3	1			• •	5 I	2 3			43 8	11·2	10
Nellore . Proddatur Rajahmundry		:	:	:	92 41 119	83 25 44	46'9 31 7 19 ' 2	• •		· ·	::	17 5 5	17 2	12 2	4 I	104 14 36	58-8 17-8 15-7	14 9
Tenali Vijaiwada Visakhapatnan	n	:	:		65 194 124	31 87 62	24·8 23·3 26·0	••	2	2		2 10 7	5	7 3 7		16 60 38	15.9 16.1 15.8	4 9 5
Vizianagram					74	25	17.6					3	3		• •	24	16.9	'n
	T	OTAL	•	•	1,365	6 64	25.3	I	:	2		74	35	45	6	461	17.6	83
Assa	m																	
Shillong† Gauhati Dibrugarh†	i	•	•	•	50	₃⊑ 6	6.5	٠.			••	3	ī	••		12	12·0	I
Silchar .		•	•	•	42	29	35*9			,	••	1	• •	I	••	5	6-2	I
	Т	OTAL	٦.	•	F 92	35	19•8	••	• •	•	••	4	I	1	••	17	9.6	2
		Bho Bih	pai }	•						"N.	R."							
,	Bot	mbay																
Ahmedabad Ahmednagar Amalner	:	:		•	870 87 49	526 53 21	31 °0 31 °0 22 °3	7	::	2	::	25 2 5	9 2 	69 		2	4I 20·4 21 12·3 8·5	6
Bagalkot Baroda Barsi	:	•	•	•	36 237 45	21 185 40	30 · 39 · 46 ·	7	••	••		2 27 7	 5 	21 2	 	5 84 21		24 3 3
Belgaum Bhusawal Bijapur	:	:	:	:	109 61 73	86 18 32	39 15 22	· 3	•••	``I	••	3 6 1	 4	 	••	28 7 10	13·3 5·9 7·1	4 5 1
Broach Chalisgaon†	•	•	•	•	66	43	33		••	• •	••	5	1		••	15	_	3
Dharwar Cambay Dhulia .	•	•			75 41 87	25 25 44	20	·7 5·3	••	••	••	 7 7 8	ı		· · · · · · · · · · · · · · · · · · ·	15 18	12.7	3 5
Gadag-Betger	i	•	•	•	70	44	32	1.7	I	• •			2	5	1	32	2 23.8	4
Godhra Greater Bomb Hubli	D ay	:	•	•	3,335	39 1,390 58	21	7 7 9-9	•••	 I		2 5 	25 I	120 7	5	608 11	3 ğ. <u>ğ</u>	157
Jalgaon Kalyan Kolhapur	•	:	:	•	77 70 155	27 47 75		· 2 · 2	•••	•••	••	1 2 7	. 3	 5	1 	19 10 44	6 r	
•In c	nset	of to	owns '	where	there has b	een an ab	normal	mov	ement	t of	populat	ion, rt	is likel	v that th	e pop	ulation	estimates n	ter van

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

Explanation of symbols used :—B.=Births; B.R.=Birth Rate; C.=Cholera; S.=Smailpox; P.=Plaque; T.=Fevers; D. D.=Dysentery and Diarrhoes; R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rate; I.D.=Infantile Deaths (included in total deaths); ..=Nil information; "N.R."=Information not received.

[†] Figures not available.

										Der	the from	n :—			·—		
	Town				Midyear opnHat.# (000)	В.	B.R.*	C.	s.	P.	F. 1	D.D.	R.D.	M.D.	Total	D,R,•	I,D,
	Bombe	y cor	ıtd.														
Miraj Nadiad Nandurbar		: :		:	44 70 34	17 52 17	20·1 38·6 26·0	••	••	••	1 13 1	2	I 2	I 	8 25 12	9.4 18.6 18.4	1 10 4
Nasik Navasari Pandharpur	:	•		:	115 49 44	65 37 35	29°4 39°3 41°3	::	::		7 4 3	 2	11 •• 7	: ::	38 10 19	17·2 10·6	15 2 7
Malegaon Patan . Poona .	•	, .		:	62 46 584	39 35 245	35·2 32·7	••	••	•••	13	4 7	2 4 29		16 22 128	13.4 21.5 11.4	 4 32
Satara Sangli Sholapur	•	:		•	40 57 293	20 17 190	26·0 15·5 33·7	• •	•••	···	1 2 17	I I 3	1 26		96 11 12	15·6 10·2 17·0	4 4 22
Surat .		• •		•	245	148	31.4		••		9	I	18	I	92	19.5	27
	TOTAL	•		•	7,410	3,716	26·1	I	4		203	81	34 T	17	1,815	12.7	380
	Dell	il State	Þ														
Delhi Cıty New Delhi N. A. C. Civ	il Statio	n, Dell	hi.	,	. 1,085 . 355 . 111	550 123 69	26·4 18·0 32·3			•••	99 6 1	7 4	34 22 1		209 87 12	10·0 12·7 5·6	51 15 4
Delhi Cantt. Delhi-Shahd					. 49 . 51	7 40	7·4 40·8	••	,.	••	1 4		· · · · · · · · · · · · · · · · · · ·	••	4 10	4·3	 4
		Total	L.		1,651	789	24.9	••	ı		111	12	59	3	322	10.1	74
	Madhy	za Pre	de	eh													
Achalpur†	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		-	-11													
Amravati† Kamptee		•	•		35	14	20.8		1.d		4	••	• •		25	29 7	11
Chindwara† Bilaspur Burhanpur		:		•	40 77	22 69	28·6 46·6	••	13		4 18	••		••	16 40	23·8 27·0	5
Gonda† Chanda† Wardha		•	•		45	19	2210	••			4	ı		••	II	12.7	• •
Hinganghat† Reipurf Khandwa		, .			58	21	18.8	••	4	••	8			••	16	14.3	
Nagpur Akola					513 101	178 32	18·0 16·5						19	••	123	12.5	10
Yeotmal	:	•	•	•	40	16	20+8	::	• •	• •	6	••	2		26 22	13·4 28·6	8 6
		TOTAL	•	•	909	371	21.3		17	••	95	2	24	••	274	15.7	29
	Madre																
Ambur Aruppukotti Bodinayakan	d.: ur:	:	:	:	44 54 39	30 36 40	35°5 34°7 53°3	••		••	 I 2	2 ••	i ••		16 18 10	7.7 8.0	7 2 2
Cannanore Chidambarar Coimbatore	n .	:	:	:	46 38 22 7	37 31 210	41·8 42·4 48·1	••	••	••	2 1 2	2 2 11	2 1 15	•• •• 4	14 11 85	15·8 15·1 19·5	3 2 18
Cuddalore Dindigul Erode	:	:	:	:	73 88 65	86 7 6 84	61·3 44·9 67·2	••	••	••	1 2 	5 3 1	6 •: 4	 I	28 23 11	19 · 9 13 · 6 8 · 8	3 5 3
Gobichetty I Guddiyattani Kancheepura	1	:	•	:	37 51 89	9 20 8 6	12·6 20·4 50·2	••	••	••	 4 2	I © 2	 2 13		5 16 37	7 °0 16.3 21.6	1 2 5
Karaikudi Karur Kozhikode	:		:	:	43 48 173	8 26 191	9·7 28·2 57·4	••	••	••	 3 12	··· 4	•• •• 4	 	5 13 76	6.0 14.1 22.8	 5 17

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

[†]Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; P. —Fevera; D.D.—Dysentery and Distributes; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; L.D.—Infantile Deaths (included in Total deaths); ...—Nil Information.

Deaths from :-

											_ ~						
	1	nwo'			Mid-year Popn, Est. (000)		B₄R.⁴	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
	Ma	dras-	-coni	d,													
Kumbakonam Madras . Mangalor e	:	:	•	:	102 1,649 133	67 1,234 102	34·2 38·9 39·9	••	••	••	4 71 1	6 ₇	2 207 6	3 1	23 686 34	11.7 21.6 13.3	4 180 7
Mathurai Mayuram Melapalayam	:	:	:	÷	415 48 40	354 41 23	44 · 4 44 · 4 29 · 9	••	 	••	 2	12 3	33 1 2	 	144 15 15	18 o 16·2 19·5	49 I 4
Nagapattinam Ottacamund† Palani	•	•	•	•	60 39	29 25	33.3	••	••		2	4	2 5	2	26 12	22.5 16.0	7 1
Palayamkottai† Palghat Periyakulam	:	•	•	•	76 33	70 19	47.9 29.9	•••			ı ••	3 I	5 3	1	20 10	13 '7 15 '8	5 2
Pollachi Pudukottai Rajapalayam	:	:	:	:	49 49 67	48 23 36	50·9 24·4 27·9		••	••	1 1 3	2 2	 5		10 12 21	10.6 13.7	4 2 2
Salem Srirangam Srivilliputtur	:	:	•	:	234 41 43	129 13 30	28·7 16·5 36·3	••	::	••	4 1 1	4 I I	10 1	 1	56 14 1 3	12·4 17·8 15·7	5 1 5
Tanjore Tellicherry Tiruchirapalli	:	•	•	:	115 4 ² 245	122 33 177	55·2 40·9 37·6		 I	••	1 ':	 I 4	11 3 4		67 20 83	30°3 24°8 17°6	9 7 16
T _{ir} unelveli Tiruppur Tiruvannamalai		- :	•	:	79 61 44	62 62 53	40.8 52.9 62.6	•••	••	···	••		4 3 2	••	21 15 5	13.8 2.8	8 4
Tuticorin Vaniyambadi Vellore .	:	:	:	:	109 4 ² 121	82 36 132	39·1 44·6 56·7		::	••	· · · · · · · · · · · · · · · · · · ·	 4	13 10	·. 2	31 7 60	14.8 8.7 25.8	4 20
Villupuram Virudunagar	:	:	:	•	39 51	40 27	53·3 27·5	::	••	::	3 3	I I	2 6	••	10 17	13·3 17·3	9 2
		Тота	ML.	•	5,141	4,039	40.9	••	I	••	143	155	389	22	1,795	18·2	430
	n	riess															
Rechampur . Cuttack . Puri .	:	:	:	:	70 114 53	27 139 19	20'1 63'5 18'7	••	••	••	4 5 4	2 7 4	5	··· ··	13 46 18	9·7 21·0 1 7 ·7	2 4 4
		To	OTAL	•	237	185	40.6	••	••	••	13	13	7	I	77	16.9	10
	Pus	jab (I)														
Ambala Amritser . Batala		•	•	:	64 3 35 61	40 203 20	32·6 31·6 17·1	••	::	••	2 11	2 8 	3 25 1	••	13 69 13	10·6 10·6	6 11 8
Bhiwani Ferozepore† Hissar	•				5 ⁵ 38	38 23	35°4	••		••	4	2 	6		21 5	6.8 19.6	5 2
Hoshlarpur Jullundur Karnal	•			:	50 194 69	23 92 34	24.0 24.7 25.7	••	••	••	I 5	••	 9 	••	3 15 7	3·1 4·0 5·3	I 3 2
Ludhiana Moga†	•	•	•	•	172	127	38.8		••	••	10		I	••	24	7.3	7
Panipat	•	:	:	:	62 33 36	42 19 20	30.0 30.0	••	••	•••	 5		2 I I	::	9 2 8	7·6 3·2 11·6	5 1 3
Kohtak† Simla† Senipai†																	
		Тота	Ţ	•	1,170	681	30.3	••	I	••	47	13	49		189	8•4	54

^{*} In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

[†] Figures not available.

Explanation of symbols used:—B.=Births; B.R.=Birth Rate; C.=Cholers; S.=Smallpox; P.=Plague; F.=Fevers; D.D.=Dysentery and Diarrhoes; R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rate; I.D.=Infantile Deaths (included in total feaths): ..=N11 information.

										De	ths from	n :—					
	T'own	1			Mid-year PopnEst. (000)	В.	B.R.*	С .	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	LD.
	Ua	ar P	rades	ъ		•											
Agra Allahabad Amroba	•	:	:	:	367 342 60	233 135 50	33.1 20.6 43.4	::	ĭ	••	 2 5	 I	50 34 9		104 55 30	14·8 8·4 26·1	7 2 12 6
Bahraich Banaras Ballia			•		46 375 34	27 260 8	30·6 36·1		· 2 	::	1 43	·· 7	18 18	::	9 159 4	10·2 6·1	4 3 ²
Banda Bareilly†	•		•	•	32	11	17.9	••	1	••	I		3	••	6	9.8	3
Bijnor	•		•	•	31	15	25.2	••		••	2	••	••	••	4	6.4	3
Budaun Basrit	•	•	•	•	54	23	22.2	••	••	••	7	1	4	••	12	11.6	3
Bulandshahr		•	•	٠	4 ¹	11	14.0	••	••	2.0	4	••	••	••	5	6.3	••
Chandausi Dehra Dun Etawah	:	:	:	:	40 141 63	32 30 45	41.1 31.1	•-	3	••	5 1 12	2 1 1		::	16 10 29	20 · 8 3 · 7 24 · 0	4
Faizabad-Ayo parrukhabad- pc rozabad†	dhya Fatch	garh	:	:	85 81	25 45	59.0 12.3	••	••	••	3 6	1 2	2 13	••	8 24	4·9 15 4	2 6
Ghaziabad Ghazipur Gorakhpur	:	:	:	:	45 36 137	15 17 51	17·4 24·6 19·4		 ::	.:.	8 7 8	••	1 1 3	••	12 14 39	13 ·9 20·3 14·8	4 1 5
Gonda . Hapur . Hardwar	•	:	•	:	34 48 63	6 40 27	9·2 43·4 22·3	•••	::	::	 8 8		 3 3	••	1 11 17	1·5 11·9 14 1	 2 5
Hathras . Jaunpur . Jhansi .	:	:	•	•	61 56 115	43 30 74	36°7 27°9 33°5	•••	3		11 4 24	 	 	 	33 12 31	28·2 11·2 14 0	10 2 7
Kenpur . Kasganj . Khurja .	:	:	:	:	716 34 40	302 4 16	21·2 6.1 20·8	•••	 	••	93 4 5	15	43 4	3 ``i	268 4 12	18·8 6·1 15·6	94 2 2
Koil-Aligarh Lucknow Mathura	:	:	:	:	148 485 108	50 184 93	17·6 19·8 44·9		 19		12 45 15	2 22 	1 40 11	••	23 173 33	15·9 18·6 8·1	11 31 5
Mau-Nath B Meerut Mirzapur-Vi				•	181 95	89 40	25·6 21·9	••	••	••	3 8	2 I	6 3	••	21 19	6·0 10·4	2 7
Moradabad Muzaffarnaga Pilibhit †	ır.	:	:	•	163 72	30 110	35°2	••	••	::	10 9	2 I	21 3		42 19	13·4 13·7	11 7
Ram q ur† 8 = haranpur 8 = mb hal	•				15 8 64	72 46	23·8 37·5	••	••	••	44 5	1 3	6 7	ʻi	62 22	20·5 17·9	19
Shahjahanpu Sitapur	•	:	:	:	99 48	7 ² 13	37·9 14·1	••	ĭ	••	32 11		1 3	••	47 15	24·7 16.3	13 3
	To	TAL	•	•	4,798	2,374	25.7	••	33	••	4 6 6	79	308	7	1,405	15.3	361
We	it Be	ngel					"N	R."									
						CIT A	TES (Pa	6 1751	h								
lan	mu.	& Ka	shm	ir		314		гт · в .R.")								
• •	lhya							. R."									
	sore						- •										
Bangalore C Davanagere Kolar Gold	ity	•	•		93 6 67 1 7 0	605 28 108	38·7 30·4 38·1	* 4		••	10 1	58	72 8	• •	263 8	16 8 8*7	• •
Mysore City	avau	•			28 ₅	142	29.8	••	••	••	3 8	12 4	8 12	••	57 64	20-1	••
· -		To	ΓAL		1,458	883	31.2		••		22	74	90		392		••
• In ca	res of			re the	re has been an	=							-	ulation		14.0	• •

^{*} In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

[†]Figures not available.

Explanation of symbols used:—B.—Births; B. R.—Birth Rate; C.—Cholera; S.— Smallpox; P.— Plague; F.— Fevers; D. D.— Dysentery and Diarrheez; R.D.— Respiratory Diseases; M.D.— Maternal Deaths; D.R.—Death Rate; I.D.— Infantile Death included in total deaths); ..— Nil information.; "N. R."—Information not received.

										Deat	ha from	ı					
	Tow	7 13			Mid-year Popn. Est. (000)	В,	B.R.•	C.	S .	Р.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
	P	BP8U	3														
Patiala City Malerkotla C Bhatinda	ity	•	:	:	108 34 38	24 28 11	11.6 42.8 12.1	••		···	9 4 	:: ::	I I 2	••	24 8 2	11·6 12·2 2·7	8 4 ••
		To	FAL	•	180	63	18.3	••	I	•.•	13	I	4	• •	34	98	12
	Raje	astha	n														
Alwar Jodhpur Bikaner		:	•	•	60 196 117	21 35 51	22.7 9.3 18.2	••	1 15	•••	4 9 5	 4 2	 5 11	 	9 6 t 2 7	7.8 16.2 12.0	14 3
Bharat purt Churut Ganganagart																	
Tonk . Sikar . Jaipur	:	:	:	:	4 5 49 341	4 6 41	4·6 6·4 6·3	••		••	1 2 28		2 15	••	4 3 91	4.6 3.5 13.9	1 1 22
Udalpur Kotah†		•			103	9	4.2	-•	τ	••	I	I	3	••	10	5.0	2
TCO-mit		To	TAL	•	811	167	10.7	• •	18	••	50	8	36	1	205	13•1	43
S	RUTE	shtra	1												_		
Bhavnagar Dhoraji Gondal	:	•	•	•	153 46 40	45 19 23	15°3 21°5 29°9		••	••	15 6 2	3 1 2	1 3 1	••	36 13 9	14·7 11·7	13 3 4
Jamnagar Junagadh Morvi	:	•	:	:	119 65 42	19 33 10	8·3 26·4 12·4	::	••	••	5 4 3	3	3 3	ĭ	23 20 3	3.4 16.0	3 5
Porbandar Surendranage Rajkot	ır .	:	•	:	63 41 161	15 10 30	12·4 12·5 9·6	••	••	••	4 2 9	1 4		•	13 3 35	8.1 3.8 10.4	4 1 11
Versval	•	•	•	•	45	7	8.1	••	••	••	ı	••	2	• •	-	3.2	••
	T	OTAL	•	•	775	211	14.3	••	••	••	51	13	17	ı	1.3	9 .9	44
	Trav	ranc o	re-C	ochin	ı			"N.									
							ARRE	AR .	RETUI	RNS							
	Bil	ıer				•	For w/s t	he 30t	h April	. 1955							
Arrah Bettiah Bhagalpur†	:	:	:	•	69 38	2 30	1.2	••	••	••	t I	••	ť	·	3 6	8.3 8.3	ż
Bihar Chapra Darbhanga	:	:	:	:	67 68 92	29 47 17	36.0	••	**	••	5 I 2	 1	···	••	11 21 3	8·5 16·1	 2
Dinapur Dhanbad Gaya	:	:	:	•	44 40 146	5 16 41	20.8	 	·· ··	•••	2 20			2 1	6 6 42	7°1 7°8 15°0	••
Jamalpur Jamahedpur Monghyr	:	:	•	:	46 241 79	6 93 9	20· I	••		••	 2		· ·	ĭ	1 17 2	1.1 • 3.7 1.3	5
Hezaribagh Pama Corpor Ranchi	ation	•	:	:	38 321 126	5 50 26	8.1	·•	···		2 I	4	3	**	2 52 4	2·7 8·4 1·7	:. ::
Purullia Katihar Muzaffarpur	;	•	:	:	46 49	6	6.8			•				••	3	3'4	

^{*} In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

13.5 ..

8

179

10

38

TOTAL . 1,510 382

[†] Figures not available.

Explanation of symbols used:—B.=Birth; B.R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fevers; D.D.=Dysentery and Diarrhosa; R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rate; I.D.=Infantile Deaths (included in total deaths); ...=Nil information; "N.R."=Information not received.

Deaths from :-

То	97 JL			Mid-year popnEst. (000)	В.	B.R.	• c.	s.	r.	P.	D .13	. R.D.	M.D	. Tot	al D.R.	• I.D.
West	Benga	ı				For w/s	the 30	ch Apr	ri, 195	5						
Asansol† Baidyabati Bally			:	33 65	9 5	14·2 4·0	1	••	••	. .	••	••	••	5 5	7'9 4'0	1 3
Bankura . Baranagar Basirhat	•	•	•	50 87 39	2 30 9	17.9 17.9	 2	••	••	 2 1	 4 	2	••	3 17 3	3·1 10·2 4·0	 1
Berhampur . Bhadreswar Bhatpara .	•		:	62 34 141	34 8 19	28·6 12·3 7·0	••	••	••	 9	 1	1 4	•• •• I	11 1 38	9·3 1·5	3
Budge-Budge Burdwan Calcutta		:	:	32 81 2,931	5 15 1,038	8·1 9·7 18·5	 38	••		.: 48	87	2 2 145		2 8 657	3.3 3.4	
Champdani Cooch-Behart	•	•	•	40	55	71.7	••	• •	_	•	••	1		3	3•9	••
Darjeeling English Bazar Garden Reach	:	:	•	37 35 121	10 12	5.2	••	•••	••	 3	••		••	4 2 16	3·0 2·6	
Halisahar Hoogly-Chinsur Howrah	•	•	:	40 60 471	33 99	28·7 11·0	 9	••		6 5	 16	 40	 I	8 117	7.0 13.0	 3 #3
Jalpaiguri† Kamarhati† Kanchrapara				71			••		.,	• •		, 4	••		••	
Krishnagar . Midnapore . Nabadwip .	:	•	:	55 44 67	34 18	3·8 40·3 14·0	••		••	 I 5	 I 2	 I	 	8	 9·5	•••
Naihati . North Barrackpo	•	•	:	6 1 3 6	5 4	4·3 5·8	1	.,	••	-	ī 	î.	•••	13 3	2·6 4·3	5 1
Panihati Shantipur Serampore	:	:	•	62 48 82	2 6	6·5	••	**	••	••	••	••	••	1	2·2	••
Siliguri South Dum Dur		:	:	42 79	43 12 6	27'3 14'9 4'0	•••	-	•••	3 1	 ••	••	•••	3	3·7 ••	14
South Suburban Titagarh	•	:	:	120 76	20 18	8 7 12.3		• •	••	2 11		ř		18 12	7·8 8·3	4
	TOTA	L	•	5,502	1,556	14.7	59	• •		104	122	202	6	977	9.3	240

In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

Explanation of symbols used:—B.=Births, B.R.=Birth Rate; C.=Cholers; S.=Smallpox; P.=Plague; F.=Fevers; D. D.=Dysentery and Diarrhoss; R.D.=Respiratory Diseases; M. D.=Maternal Deaths; D.R.=Death Rate; I.D.=Infantile Deaths (included in total death); ..=Nil information

[†] Figures not available.

KEMARKS

The figures of births and deaths shown in this statement for week ending the 14th May, 1955, relate to 186 towns with an estimated population of 25,997 thousands. The total number of towns is 300 and their population is 38,988 thousands. Thus 62% of the total number of towns representing 67% of the total population is covered in this statement. The number of births and deaths recorded in these towns were 14,178 and 7,154 representing birth and death rates of 28.4 and 14.3 per thousand of population respectively.

(a) States (Parts A and C):—The data here relate to 162 towns with an estimated population of 22,773 thousands. Information about Ajmer, Bihar, Bhopal, and West Bengal could not be included. The total number of towns is 252 and their population is 32,572 thousands. Thus 64% of the total number of towns representing 70% of the total population is covered. The number of births and deaths recorded in these towns were 12,854 and 6,355 representing

birth rates and death rates of 29.4 and 14.5 per thousand of population respectively. The table at the end gives the position by States.

Nellore in Andhra State was the only town which recorded a high death rate of 58.8 per thousand of population and this high death rate was due to Fevers Dysentery & Diarrhoea and other Respiratory diseases.

(b) States (Part B):—The data here relate to 24 towns with an estimated population of 3,224 thousands. The total number of towns is 48 and their population is 6,416 thousands. Thus 50% of the total number of towns representing 50% of the total population is covered. The number of births and deaths recorded in these towns were 1,324 and 799 representing birth and death rates of 21.4 and 12.9 per thousand of population respectively. No town recorded a high death rate of 50 or over per thousand of population.

States		Current w/	6 14-5-55	Correspondin	g w/e last ^r year	Corresponding n	tean during
		B.R.	D.R.	B.R.	D.R.	B.R.	D.R.
Andhra .		25.3	17 6	26.9	14*3	†	t [*]
Bombay .	•	36.1	12.7	21.7	13.1	28.1	16.8 ₩
Delhi		24.9	10.1	19.5	10.0	25.2	13.0
Madhya Pradesh		21.2	15.7	15.0	14.0	24.9	20.7
Madres	•	40.9	18.3	37*0	16.6	†	t
Orissa		40.6	16.9	37.6	17.8	37.0	17.7
Punjab (I)		30.3	\$ 14	22'7	9.6	21.1	10.3
Uttur Pradesh .	٠	25.7	15.2	19· 9	14.8	23.5	18.8
India (only States		29.4	14.5	24.2	13.7	25.3	17:4
Parts A & C).			† F	igures not available.			

New Delhi-2 (India),;

The 6th June, 1955.

K. MITRA, for Registrar General, India.